

CHIC SUPREME IDRA

PELLET THERMOSTOVE



Chic, the pellet stove with a refined and timeless style, to make your home a romantic and elegant place.

Heatable area

113 m².





- 1 - Hygienic floor, in crystal
- 2 - Sliding access for leather loading
- 3 - Precious handmade handmade majolica
- 4 - Screen-printed ceramic glass and cast iron firebox door



TECHNICAL DATA

DIMENSIONS (HXWXD)	1335X565X649
WEIGHT (KG)	246
HEATABLE AREA (M ²)	203
EFFICIENCY UP TO MAX (%)	95,2%
ENERGY CLASS	-
POWER TO THE HEART (KW)	6,8 - 23,7
RATED POWER (KW)	6,5 - 22,5
POWER TO THE WATER (KW)	5 - 19,6
RADIATION (KW)	1,5 - 2,9
HOURLY PELLETT CONSUMPTION (KG/H)	1,4 - 4,9
WOOD HOURLY CONSUMPTION (KG/H)V	-
PELLET HOPPER CAPACITY (KG)	14,00
WARM AIR DUCTING	-
MAXIMUM SINGLE DUCTING OUTLET (M)	-
PATENTED BURNER PELLETPOWER®	-
ROMM VENTILATION	-
PRIMARY AIR FROM OUTSIDE	SI
CO EMISSIONS (MG/M ³ ; 13% DI O ₂)	94
CO EMISSIONS (MG/M ³ ; 10% DI O ₂)	-
DUST EMISSIONS (MG/M ³ ; 13% DI O ₂)	29,2
DUST EMISSIONS (MG/M ³ ; 10% DI O ₂)	-
SILENCE(DB)	36,00
REMOTE CONTROL	SI
RADIO CONTROL WITH ROOM TEMPERATURE THERMOSTAT	-
WEEKLY PROGRAMMER (3 DAILY LIGHTING)	SI
SMART INFO FUNCTION	-
SYSTEM CIRCULATING PUMP	-
EXPANSION TANK	-
OVER PRESSURE VALVE	SI

FLUE GASEXHAUST DIAMETER (MM)	80
MIN. FLUE DRAUGHT PRESSURE (PA)	12
ELECTRIC CONSUMPTION (WATT)	66-271
HIGH TEMPERATURE SAFETY THERMOSTAT	SI

THERMOROSI S.p.A.

Via Grumolo, 4 | 36011 Arsiero (VI) | Italy | E-mail: info@thermorossi.it

Tel: 800.44.88.77 | Fax: 0445 741657 | P.IVA 00168470243 | Iscr. REA99797 Vicenza | Cap. Sociale di 156,000,00 l.v.